



Product Catalogue


50
Years

Klemsan

more than
100
Countries

www.klemsan.com

Terminal Blocks Marking Solutions Wiring Ducts Electronic Products



contents

Rail Terminals and Accessories	38 - 297
AVK Series	38 - 63
CPB Series Terminals	64 - 65
High Current Terminals	68 - 69
PB Series Terminals	70 - 71
PAK Series	72 - 75
Screw Type Double Deck Terminals	78 - 83
Screw Type Double Deck Earth Terminals	84 - 85
Screw Type Sensor Terminals	86 - 87
Screw Connection Disconnect Terminals	90 - 95
WGO Series Test / Disconnect Terminals	96 - 101
WGO 6 Test and Disconnect Terminals	102 - 103
Distribution Terminals	104 - 105
Screw Type Fuse Terminals	106 - 111
Double Level Electronic Terminals	112 - 113
Easy Mounting of PYK Series Terminals	114 - 127
Practical Spring Clamp Terminals	118 - 121
Practical Spring Clamp Earth Terminals	122 - 125
PYKMR Series Mini Terminals	126 - 127
PYK Series Multilevel Rail Terminals	130 - 135
Double - Deck Practical Spring Clamp Line Type Terminals	130 - 133
Multilevel Practical Spring Clamp Terminals	134 - 135
PYK Series Sensor / Fuse and Disconnect / Disconnect Terminals	136 - 151
Practical Spring Clamp Sensor Terminals	138 - 139
Practical Spring Clamp Fuse and Disconnect Terminals	140 - 143
PYK Series One Input - Two Output Two Input - Two Output Terminals	144 - 147
PYK Series One input - Two Output, Two input - Two Output Spring Clamp Terminals	148 - 151
MYK Series Spring Clamp Terminals	152 - 157
AVK Series "V0" Terminals	158 - 165
Screw Type "V0" Double - Deck Terminals	166 - 169
Screw Type "V0" Multilevel Terminals	170 - 171
Screw Type "V0" Sensor Terminals	172 - 173
WGO Series "V0"Test / Disconnect Terminals	174 - 177
PB Series "V0" Feed Through and Earth Terminals	178 - 181
SRD Series Terminals	182 - 237
Stop Spring to pin Series Terminals	238 - 249
PRD Series Terminals	250 - 290
PCY Type Terminals for PCB Connection	294 - 295
Screw Type Terminal Blocks for PCB Connection	296 - 297
Other Terminal Series	298 - 303
Transformer Terminals	298 - 299
Terminal Strips	300 - 302
Clamping Yokes and Accessories	303
Busbars	304 - 305
DIN Rails	306
Cable Clamps	306
Cable Clamp Rail	306
DIN Rail Support	306

End Brackets	307
Seperation Plate	308 - 309
Modular Group Markers	310
Test Plugs and Sockets	312
DIN Rail Sockets	312 - 313
Marking Solutions	314
Printed Terminal Block Marking Tags	315
Printed Wire Marking Tags	316
Panel Tag Holders and Cable Label Solutions	317
Thermal Printing Solutions	318 - 320
Thermal Card Printer and Labeling Solutions	320 - 338
Thermal Roll Printer and Labeling Solutions	339 - 349
Plotter Consumables and Labeling Solutions	350 - 360
Wiring Ducts and Accessories	361 - 375
Electronic & Energy Management Products	376 - 485
MED/EMD Series Energy Meters	377 - 378
ECRAS 3-4 Multimeter Series	379
KLEA Series Energy Analyzer	380 - 385
ECRAS 1-2 Multimeter Series	386 - 387
POWYS Series Energy Analyzers	388 - 393
RAPIDUS Series Power Factor Controllers	394 - 403
Time Relays Series	404
Protection & Monitoring Relays Series	405 - 407
MEASTRO Series Astronomical Timers	408
DPR Series Digital Protection Relays	409
MGS Series Automatic Transfer Relay	410
KPR series PLC Interface Relays	411 - 417
OPK-EKI Series Optocoupler Modules	418 - 419
WG-EKI Series Electronic Modules	420 - 421
Industrial Relays: KRG, KRM, KRI, KR, KMY Series	422 - 424
ETOR Series Ethernet Gateways	425
GTOR Series GPRS Gateways	426
UTOR Series USB Converter	427
KUES Series Ethernet Switch	428
ANC & ALRC Series Alarm Annunciators	430 - 435
LSK Series LSK Series Signal Indicator Modules	436 - 437
EASION Series Remote I/O Modules	438
SENSOR Series	439 - 447
ASCON Series Analog Signal Converters	448 - 451
VT - CT Series Voltage & Current Transducers	452 - 455
TT-RTD-LP Series PT100 Transducers	456 - 457
PISO Series Passive Isolators	458 - 459
Current Transformers: KCT, KFC, KSC Series	460 - 477
AC/DC Converter DIN-Rail Power Supply KPS-30, KPS-60	478 - 479
AC/DC Converter Enclosed Switching Power Supply: KPS-75, KPS120, KPS120P, KPS150, KPS240, KPS480P	480 - 485
Accessories	487 - 496
Hand Tools	497 - 500
Type and Catalog Number Index	503 - 525

MARKING SOLUTIONS


Printers • Software • Terminal Block Tags • Wire Marking



Printed Terminal Block Marking Tags

STANDARD PRINTED TERMINAL BLOCK LABELS

Order No	Type	Printing area (mm)	Color	Qty.
505 0...	DY 5	5x5	White	500
505 2...	DY 10/6,5	10x6,5	White	510



Order No	Type	Description
505 000	DY 5	0
505 001	DY 5	1
505 002	DY 5	2
505 003	DY 5	3
505 004	DY 5	4
505 005	DY 5	5
505 006	DY 5	6
505 007	DY 5	7
505 008	DY 5	8
505 009	DY 5	9
505 010	DY 5	10
505 020	DY 5	1-10
505 021	DY 5	11-20
505 022	DY 5	21-30
505 023	DY 5	31-40
505 024	DY 5	41-50
505 025	DY 5	51-60
505 026	DY 5	61-70
505 027	DY 5	71-80
505 028	DY 5	81-90
505 029	DY 5	91-100
505 030	DY 5	10, 20,30,.....100
505 040	DY 5	1-50
505 041	DY 5	51-100
505 042	DY 5	101-150
505 043	DY 5	151-200
505 044	DY 5	201-250
505 045	DY 5	251-300
505 046	DY 5	301-350
505 047	DY 5	351-400
505 048	DY 5	401-450
505 049	DY 5	451-500
505 050	DY 5	501-550
505 051	DY 5	551-600
505 052	DY 5	601-650
505 053	DY 5	651-700
505 054	DY 5	701-750
505 055	DY 5	751-800
505 056	DY 5	801-850
505 057	DY 5	851-900
505 058	DY 5	901-950
505 059	DY 5	951-999

Order No	Type	Description
505 060	DY 5	A
505 061	DY 5	B
505 062	DY 5	C
505 063	DY 5	D
505 064	DY 5	E
505 065	DY 5	F
505 066	DY 5	G
505 067	DY 5	H
505 068	DY 5	I
505 069	DY 5	J
505 070	DY 5	K
505 071	DY 5	L
505 072	DY 5	M
505 073	DY 5	N
505 074	DY 5	O
505 075	DY 5	P
505 076	DY 5	Q
505 077	DY 5	R
505 078	DY 5	S
505 079	DY 5	T
505 080	DY 5	U
505 081	DY 5	V
505 082	DY 5	W
505 083	DY 5	X
505 084	DY 5	Y
505 085	DY 5	Z
505 090	DY 5	L1
505 091	DY 5	L2
505 092	DY 5	L3
505 093	DY 5	RSTN $\frac{1}{2}$
505 094	DY 5	Mp
505 095	DY 5	+
505 096	DY 5	-
505 097	DY 5	$\frac{1}{2}$
505 098	DY5	PE

Order No	Type	Description
505 201	DY 10/6,5	1-10
505 202	DY 10/6,5	11-20
505 203	DY 10/6,5	21-30
505 204	DY 10/6,5	31-40
505 205	DY 10/6,5	41-50
505 206	DY 10/6,5	51-60
505 207	DY 10/6,5	61-70
505 208	DY 10/6,5	71-80
505 209	DY 10/6,5	81-90
505 210	DY 10/6,5	91-100

* For your special printed label requests please contact with our sales representative.

Printed Wire Marking Tags

Closed Type				
				
Numbers	KG 1	KG 2	Qty.	Color
0	515 000	516 000	1000/500	Yellow
1	515 001	516 001	1000/500	Yellow
2	515 002	516 002	1000/500	Yellow
3	515 003	516 003	1000/500	Yellow
4	515 004	516 004	1000/500	Yellow
5	515 005	516 005	1000/500	Yellow
6	515 006	516 006	1000/500	Yellow
7	515 007	516 007	1000/500	Yellow
8	515 008	516 008	1000/500	Yellow
9	515 009	516 009	1000/500	Yellow
Letters				
A	515 010	516 010	1000/500	Yellow
B	515 011	516 011	1000/500	Yellow
C	515 012	516 012	1000/500	Yellow
D	515 013	516 013	1000/500	Yellow
E	515 014	516 014	1000/500	Yellow
F	515 015	516 015	1000/500	Yellow
G	515 016	516 016	1000/500	Yellow
H	515 017	516 017	1000/500	Yellow
I	515 018	516 018	1000/500	Yellow
J	515 019	516 019	1000/500	Yellow
K	515 020	516 020	1000/500	Yellow
L	515 021	516 021	1000/500	Yellow
M	515 022	516 022	1000/500	Yellow
N	515 023	516 023	1000/500	Yellow
O	515 024	516 024	1000/500	Yellow
P	515 025	516 025	1000/500	Yellow
Q	515 026	516 026	1000/500	Yellow
R	515 027	516 027	1000/500	Yellow
S	515 028	516 028	1000/500	Yellow
T	515 029	516 029	1000/500	Yellow
U	515 030	516 030	1000/500	Yellow
V	515 031	516 031	1000/500	Yellow
W	515 032	516 032	1000/500	Yellow
X	515 033	516 033	1000/500	Yellow
Y	515 034	516 034	1000/500	Yellow
Z	515 035	516 035	1000/500	Yellow
Signs				
Mp	515 040	516 040	1000/500	Blue
S	515 041	516 041	1000/500	Green
T	515 042	516 042	1000/500	Red
+	515 043	516 043	1000/500	Red
-	515 044	516 044	1000/500	Blue
±	515 045	516 045	1000/500	Yellow
(	515 046	516 046	1000/500	Yellow
.	515 047	516 047	1000/500	Yellow
/	515 048	516 048	1000/500	Yellow

Open Type					
					
Numbers	KE 1	KE 2	KE 3	Qty.	Color
0	517 000	518 000	519 000	500	Black
1	517 001	518 001	519 001	500	Brown
2	517 002	518 002	519 002	500	Red
3	517 003	518 003	519 003	500	Orange
4	517 004	518 004	519 004	500	Yellow
5	517 005	518 005	519 005	500	Green
6	517 006	518 006	519 006	500	Blue
7	517 007	518 007	519 007	500	Purple
8	517 008	518 008	519 008	500	Grey
9	517 009	518 009	519 009	500	White
Letters					
A	517 010	518 010	519 010	200	Yellow
B	517 011	518 011	519 011	200	Yellow
C	517 012	518 012	519 012	200	Yellow
D	517 013	518 013	519 013	200	Yellow
E	517 014	518 014	519 014	200	Yellow
F	517 015	518 015	519 015	200	Yellow
G	517 016	518 016	519 016	200	Yellow
H	517 017	518 017	519 017	200	Yellow
I	517 018	518 018	519 018	200	Yellow
J	517 019	518 019	519 019	200	Yellow
K	517 020	518 020	519 020	200	Yellow
L	517 021	518 021	519 021	200	Yellow
M	517 022	518 022	519 022	200	Yellow
N	517 023	518 023	519 023	200	Yellow
O	517 024	518 024	519 024	200	Yellow
P	517 025	518 025	519 025	200	Yellow
Q	517 026	518 026	519 026	200	Yellow
R	517 027	518 027	519 027	200	Yellow
S	517 028	518 028	519 028	200	Yellow
T	517 029	518 029	519 029	200	Yellow
U	517 030	518 030	519 030	200	Yellow
V	517 031	518 031	519 031	200	Yellow
W	517 032	518 032	519 032	200	Yellow
X	517 033	518 033	519 033	200	Yellow
Y	517 034	518 034	519 034	200	Yellow
Z	517 035	518 035	519 035	200	Yellow
Signs					
Mp	517 040	518 040	519 040	200	Yellow
+	517 043	518 043	519 043	200	Yellow
-	517 044	518 044	519 044	200	Yellow
±	517 045	518 045	519 045	200	Yellow
(	517 046	518 046	519 046	200	Yellow
.	517 047	518 047	519 047	200	Yellow
/	517 048	518 048	519 048	200	Yellow

Technical Specifications	KG 1	KG 2	KE 1	KE 2	KE 3
External insulation, mm²	2,4 - 4,4	4 - 8,5	-	-	-
Cross section, mm²	0,75 - 4	4 - 16	0,75 - 1,5	1,5 - 2,5	4 - 6

Self-Adhesive Button and Panel Tag Holders



Order No	Product	Dimensions (mm)	Color	Qty.
509 700	Y-PBR S	30 x 17 mm (22.5 mm ²)	Black	100
509 701	Y-PBR T	30 x 17 mm (Telemecanique)	Black	100
509 600	Y-PER 1730	17x30	Black	100
509 601	Y-PER 1752	17x52	Black	100
509 602	Y-PER 1770	17x70	Black	100

Protective Cover for Button/Panel Tags




Order No	Product	Dimensions (mm)	Color	Qty.
508 813	PBKP 2715	27x15	Transparent	192
508 814	PBKP 5015	50x15	Transparent	96
508 815	PBKP 6715	67x15	Transparent	96

Marking Tags for Cable Ties



Order No	Product	Max. Label Size (mm)	Dimensions (mm)	Color	Qty.
520 110	KBE 1	8,7 x 29,5 mm	11 x 31,6 mm	Transparent	100
520 120	KBE 2	15,4 x 40 mm	19,5 x 44,5 mm	Transparent	100
508 080	KBE 3	9 x 20 mm	20,3 x 26 mm	Transparent	120

Sleeves for Cable Marking Tags



Order No	Product	Color	Qty.
809 100	KCKKS 10 / 0.5-1.5 mm ²	Transparent	500
809 110	KCKKS 15 / 0.5-1.5 mm ²	Transparent	500
809 120	KCKKS 18 / 0.5-1.5 mm ²	Transparent	500
809 130	KCKKS 23 / 0.5-1.5 mm ²	Transparent	500
809 140	KCKKS 30 / 0.5-1.5 mm ²	Transparent	500
809 150	KCKKS 10 / 1.5-2.5 mm ²	Transparent	500
809 160	KCKKS 15 / 1.5-2.5 mm ²	Transparent	500
809 170	KCKKS 18 / 1.5-2.5 mm ²	Transparent	500
809 180	KCKKS 23 / 1.5-2.5 mm ²	Transparent	500
809 190	KCKKS 30 / 1.5-2.5 mm ²	Transparent	500
809 200	KCKKS 10 / 2.5-4 mm ²	Transparent	500
809 210	KCKKS 15 / 2.5-4 mm ²	Transparent	500
809 220	KCKKS 18 / 2.5-4 mm ²	Transparent	500
809 230	KCKKS 23 / 2.5-4 mm ²	Transparent	500
809 240	KCKKS 30 / 2.5-4 mm ²	Transparent	500
809 250	KCKKS 10 / 6-10 mm ²	Transparent	500
809 260	KCKKS 15 / 6-10 mm ²	Transparent	500
809 270	KCKKS 18 / 6-10 mm ²	Transparent	500
809 280	KCKKS 23 / 6-10 mm ²	Transparent	500
809 290	KCKKS 30 / 6-10 mm ²	Transparent	500
809 300	KCKKS 10 / 16-25 mm ²	Transparent	500
809 310	KCKKS 15 / 16-25 mm ²	Transparent	500
809 320	KCKKS 18 / 16-25 mm ²	Transparent	500
809 330	KCKKS 23 / 16-25 mm ²	Transparent	500
809 340	KCKKS 30 / 16-25 mm ²	Transparent	500

THERMAL PRINTING SOLUTIONS



Software

KleemarkPRO is developed by Klemsan in order to manage all kinds of marking projects through one software.

- Easy setup. Operator needs only basic computer skills.
- Compatible with all Klemsan printers.
- Provides high performance for printing all types of texts, symbols and images.
- Advanced features provide high-quality preview and quick operation.
- Graphic design and Klecard universal drivers can be automatically uploaded during set-up. (Windows® compatibility.)

Marking Systems / Printers

We offer the most suitable solutions for your projects thanks to our thermal marking systems. You can experience the high efficiency and easy application with Klemsan Marking Systems which will definitely suit all your industrial requirements.

KLECARD Thermal Card Printer



Klecard Thermal Printer is the fastest and easiest way for marking a wide variety of labels and tags.

- Terminal Blocks
- Cables
- Panel Surface and Components
- All Kinds of Industrial Products and Devices

Windows® based driver will provide ease of use. Even smallest symbols, drawings, barcodes and QR Codes can be printed.

TE Series – Thermal Roll Printer



High-speed TE Series thermal transfer printer is designed for marking labels and tags within roll format. Light and compact design of the printer ensures the ease of use in the most challenging field conditions. All kinds of panel building components such as cable markers, terminal strip labels and other industrial labels can be marked with TE Series.

Hardware Requirements

CPU	32-bit / 64-bit Intel® or AMD® Processor
RAM	2 GB of RAM (4 GB recommended)
Disc Space (HDD/SDD)	4.0 GB of free disk space for installation
Display	15.6" monitor (17" recommended)
Input Devices	Keyboard, three-button mouse

Software Requirements

Operating System	Microsoft® Windows® Vista, 7, 8/8.1/10/11 with NET Framework 4.0
Internet Browser	Microsoft® Internet Explorer®, Google Chrome™, Mozilla® Firefox®

Software Features


Reconfiguration Oriented Project

The marking project is a relational database which can be continuously reconfigured, by sorting and grouping different materials on different machines. You can modify, complete your project or adapt it to different system configurations in an efficient way with minimum effort.

Intuitive User Interface Compatible with MS-Windows Philosophy **WYSIWYG (What You See is What You Get)**

The user can manage records in a combined Tree-Grid view with sorting, filtering and grouping functions.

- Visual editing in preview screen and synchronization with the Tree-Grid view.
- Undo/Redo functions for project operations on records/project.
- Clipart collection of symbols by dragging and dropping into the project (in Graphic Mode).
- Simple Text and RTF (rich-text-format) editing capability on labels.
- Graphic Editor for labels with support for RTF, Barcode, QR-Code, circular text, vector and raster images.



Material Management

The material hierarchical (Tree-Grid) view allows direct selection into preview screen for visual editing.

Material and Custom Label Designer

Easy and functional geometrical label design and text attributes for Klemsan standard materials and customer predefined/layout labels. Smart way of assigning printing settings to each material from parameter database.

Strip / Endless / Ribbon Material Support

The Terminal Strip Editor is a powerful graphic editor with print preview capabilities for ribbon/strip materials.

Printer Settings

Printers management utility for assigning printers to materials category, also for defining the materials organization on each printer pad.

Print Settings

Capability for selection, copy factors, machine settings control during the printing process.

Page Printing Management

The pages to be printed can be viewed hierarchically (Tree-Grid) which allows label grouping or individual label selection.

International Language Support

The application fully supports UNICODE languages for the user interface and for the text to be marked.

KLECARD Thermal Card Printing




Order No	Product
806 000	Klecard Thermal Card Printer

The marking process has never been so effortless. Printing dozens of labels and tags just in seconds will give you an opportunity to complete your projects faster than what you plan. Klecard is the new amazing marking solution based on the thermal transfer print technology, which is alcohol-proof, smudge-proof and waterproof with no drying time. Klecard is so fast that you can print any kind of label card in less than 10 seconds with a huge thermal resistance level according to international standards. It is ideal for high volume applications with low-cost printing per card with a resolution of 300 x 600 dpi.

Terminal blocks, cables, panel components, buttons and many more products can be marked with our Klecard Printer thanks to our marking software Klemark-Pro.

Features



- Ribbon saving algorithm; ensures the optimal ribbon usage, lowering printing cost and maximizing efficiency.
- Built-in printhead integrity check; which automatically tests any printhead single element and ensures high-quality texts, symbols, barcodes and images.
- Perfect printing mode; which allows you to print different media types with the best settings of the printer (speed rate, printing intensity and ribbon control).
- Automatic temperature sensing; which controls the status of the printhead to adjust it at the best conditions depending on the operating environment climate.
- Sensing control; Klecard has three sensors to manage ribbon, plates and media. The machine will start printing only when the plate, the ribbon and media are placed on the machine.

Warning: The printhead working temperature condition is between 15-35 °C range.

Package Contents



- 1 KleCard Printer
- 1 Power Supply
- 1 Power Cable
- 1 USB Cable
- 1 Plate for Flat Media
- 1 Plate for Terminal Blocks Markers

Klecard Accessories



Ribbons

Order No	Product	Size (mm)	Color	Qty.
806 100	KL-RB Ribbon	110x300	Black	1
806 101	KL-RB Ribbon	110x300	Red	1
806 102	KL-RB Ribbon	110x300	Blue	1
806 103	KL-RB Ribbon	110x300	White	1

Order No.	Product	Qty.
806 099	Izopropyl Material for Thermal Head	10

Note: To ensure the best printing quality and efficiency on Klemsan Thermal Marking Systems, only Klemsan original consumable products must be used. Otherwise, the subject products will not be covered by warranty conditions.

Plates




Plate KL-PLT A Terminal Block Markers




Plate KL-PLT B for Flat Media




Plate KL-PLT C for Clip-it Cable Markers







Plate KL-PLT D For TRV Series Terminal Block Markers

Order No	Product
806 010	KL-PLT A for Terminal Block Markers
806 020	KL-PLT B for Flat Media
806 030	KL-PLT C for Clip-it Cable Markers
806 060	KL-PLT D Plate For TRV Series Terminal Block Markers
806 040	PC-PLT A for Different Brand Terminal Block Markers



Marking for Terminal Blocks



Halogen Free **VO** raw material

Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
811 750	D-NS 5x10	4,2x9,8	White	72	720
812 250	D-NS 6x10	5,2x9,8	White	60	600
812 750	D-NS 8x10	7,2x9,8	White	48	480
813 100	D-NS 10x10	9,2x9,8	White	36	360
813 450	D-NS 12x10	11,2x9,8	White	30	300
810 300	D-NS 5x6	4,4x6,0	White	72	720
810 450	D-NS 5,2x6	4,4x6,0	White	72	720
810 150	D-NS 4,2x6	3,6x6,0	White	84	840
810 600	D-NS 6,2x6	5,4x6,0	White	60	600
810 750	D-NS 8x6	6,4x6,0	White	48	480
811 000	D-NS 10x6	8,4x6,0	White	36	360
811 250	D-NS 12x6	10,4x6,0	White	30	300
811 800	D-NS 14x10	12,4x10,0	White	24	240
814 150	D-NS 20x9	18,4x10,0	White	18	180
814 270	D-NS 7x5	7x4,2	White	72	720
817 150	D-NS 3,6x6	3x6	White	96	960

* D-NS 7x5 and D-NS 20x9 label is compatible with 806 060 KL-PLT D plate.

* D-NS 7x5 label is compatible with **TRV Series Terminal Block**.

* See page **332 - 338** for **Terminal Blocks** selection guide.


816 000	D-PC 5x10	4,2x9,8	White	72	576
816 500	D-PC 6x10	5,2x9,8	White	60	480
817 000	D-PC 8x10	7,2x9,8	White	48	384

* D-PC labels are compatible with 806 040 PC-PLT A plate.

* Please contact with your sales representative for brand suitability information.

MARKING STRIP					
Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 457	KCSLF-W	4,9x100	White	27	540
808 458	KCSLF-W	11,2x100	White	12	240

* See page 357 - 360 for terminal blocks selection guide.



Marking For Cables

Clip-it Cable Markers - KE-NS Series

KE1-NS 4x18




Order No	Product	Print Area (mm)	Max.Cable Diameter (mm)	Color	Labels per Card	Labels per Pack
814 300	KE1-NS 4x12 W (0,5-1,5mm²)	4x12	2,00-2,90	White	40	1120
814 500	KE2-NS 4x12 W (1,5-2,5mm²)	4x12	2,90-3,50	White	36	864
814 700	KE3-NS 4x12 W (4,0-6,0mm²)	4x12	4,00-4,60	White	32	640
814 900	KE1-NS 4x18 W (0,5-1,5mm²)	4x18	2,00-2,90	White	40	1120
815 100	KE2-NS 4x18 W (1,5-2,5mm²)	4x18	2,90-3,50	White	36	864
815 300	KE3-NS 4x18 W (4,0-6,0mm²)	4x18	4,00-4,60	White	36	640
815 500	KE1-NS 4x22 W (0,5-1,5mm²)	4x22	2,00-2,90	White	40	1120
815 700	KE2-NS 4x22 W (1,5-2,5mm²)	4x22	2,90-3,50	White	36	864
815 900	KE3-NS 4x22 W (4,0-6,0mm²)	4x22	4,00-4,60	White	32	640
814 303	KE1-NS 4x12 Y (0,5-1,5mm²)	4x12	2,00-2,90	Yellow	40	1120
814 503	KE2-NS 4x12 Y (1,5-2,5mm²)	4x12	2,90-3,50	Yellow	36	864
814 703	KE3-NS 4x12 Y (4,0-6,0mm²)	4x12	4,00-4,60	Yellow	32	640
814 903	KE1-NS 4x18 Y (0,5-1,5mm²)	4x18	2,00-2,90	Yellow	40	1120
815 103	KE2-NS 4x18 Y (1,5-2,5mm²)	4x18	2,90-3,50	Yellow	36	864
815 303	KE3-NS 4x18 Y (4,0-6,0mm²)	4x18	4,00-4,60	Yellow	36	640
815 503	KE1-NS 4x22 Y (0,5-1,5mm²)	4x22	2,00-2,90	Yellow	40	1120
815 703	KE2-NS 4x22 Y (1,5-2,5mm²)	4x22	2,90-3,50	Yellow	36	864
815 903	KE3-NS 4x22 Y (4,0-6,0mm²)	4x22	4,00-4,60	Yellow	32	640

Halogen Free **VO** raw material




Marking For Cables

Cable Markers for KCKKS Transparent Tubes - KCPM Series



Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 951	KCPM-W 4x10	4x10	White	112	2240
808 952	KCPM-W 4x15	4x15	White	80	1600
808 953	KCPM-W 4x23	4x23	White	64	1280
808 954	KCPM-W 4x30	4x30	White	48	960
809 001	KCPM-Y 4x10	4x10	Yellow	112	2240
809 002	KCPM-Y 4x15	4x15	Yellow	80	1600
809 003	KCPM-Y 4x23	4x23	Yellow	64	1280
809 004	KCPM-Y 4x30	4x30	Yellow	48	960




TAG HOLDERS SELECTION GUIDE

	KCPM 4x10	KCPM 4x15	KCPM 4x23	KCPM 4x30
KCKKS 10	✓			
KCKKS 15		✓		
KCKKS 23			✓	
KCKKS 30				✓

Marking For Cables


Snap On Cable - KCKG Series



KCKG-W 5x25.5

Order No	Product	Suitable Cable Diameter (mm²)	Print Area (mm)	Color	Qty.
809 061	KCKG-W 5x25.5	(0.75-1.5)	5x13	White	780
809 062	KCKG-W 7x26	(2.5-6)	7x12	White	660
809 063	KCKG-W 10x47.5	(6-16)	10x20	White	360
809 071	KCKG-Y 5x25.5	(0.75-1.5)	5x13	Yellow	780
809 072	KCKG-Y 7x26	(2.5-6)	7x12	Yellow	660
809 073	KCKG-Y 10x47.5	(6-16)	10x20	Yellow	360


Label for Cable Tie - KCKB Series



KCKB-W 10x60

Order No	Product	Print Area (mm)	Cable Ø mm²	Cable Tie Hole Diameter (mm)	Color	Qty.
809 030	KCKB-W 20x25	11x25	2-10	5x2	White	400
809 031	KCKB-W 10x60	10x44	2-10	5x2	White	320
809 040	KCKB-Y 20x25	11x25	2-10	5x2	Yellow	400
809 041	KCKB-Y 10x60	10x44	2-10	5x2	Yellow	320

Non Adhesive Rigid Flat PVC Markers - KCIPR Series



KCIPR-W 15x39

Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 556	KCIPR-W 8x29	8x29	White	45	900
808 557	KCIPR-W 15x39	15x39	White	16	320
808 557	KCIPR-W 9x20	9x20	White	75	1500
808 606	KCIPR-Y 8x29	8x29	Yellow	45	900
808 607	KCIPR-Y 15x39	15x39	Yellow	16	320
808 608	KCIPR-Y 9x20	9x20	Yellow	75	1500
808 656	KCIPR-S 8x29	8x29	Silver	45	900
808 657	KCIPR-S 15x39	15x39	Silver	16	320
808 658	KCIPR-S 9x20	9x20	Silver	75	1500



KBE 1



KBE 2




KBE 3

Selection Guide

Order No	Product	KCIPR 8x29	KCIPR 15x39	KCIPR 9x20
520 110	KBE 1	✓		
520 120	KBE 2		✓	
508 080	KBE 3			✓

Adhesive Wrap Around Type Cable Markers - KCCM Series



Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 851	KCCM-W 33.75x13	12x13	White	32	640
808 852	KCCM-W 67.5x25	19x25	White	8	160
808 853	KCCM-W 135x25	19x25	White	4	80
808 854	KCCM-R 33.75x13	12x13	Red	32	640
808 855	KCCM-R 67.5x25	19x25	Red	8	160
808 856	KCCM-R 135x25	19x25	Red	4	80
808 857	KCCM-B 33.75x13	12x13	Blue	32	640
808 858	KCCM-B 67.5x25	19x25	Blue	8	160
808 859	KCCM-B 135x25	19x25	Blue	4	80
808 860	KCCM-BR 33.75x13	12x13	Brown	32	640
808 861	KCCM-BR 67.5x25	19x25	Brown	8	160
808 862	KCCM-BR 135x25	19x25	Brown	4	80
808 863	KCCM-GR 33.75x13	12x13	Grey	32	640
808 864	KCCM-GR 67.5x25	19x25	Grey	8	160
808 865	KCCM-GR 135x25	19x25	Grey	4	80
808 901	KCCM-Y 33.75x13	12x13	Yellow	32	640
808 902	KCCM-Y 67.5x25	19x25	Yellow	8	160
808 903	KCCM-Y 135x25	19x25	Yellow	4	80
808 904	KCCM-G 33.75x13	12x13	Green	32	640
808 905	KCCM-G 67.5x25	19x25	Green	8	160
808 906	KCCM-G 135x25	19x25	Green	4	80
808 907	KCCM-P 33.75x13	12x13	Purple	32	640
808 908	KCCM-P 67.5x25	19x25	Purple	8	160
808 909	KCCM-P 135x25	19x25	Purple	4	80
808 910	KCCM-O 33.75x13	12x13	Orange	32	640
808 911	KCCM-O 67.5x25	19x25	Orange	8	160
808 912	KCCM-O 135x25	19x25	Orange	4	80
808 913	KCCM-BL 33.75x13	12x13	Black	32	640
808 914	KCCM-BL 67.5x25	19x25	Black	8	160
808 915	KCCM-BL 135x25	19x25	Black	4	80

Marking for Panel Surface and Components

Self Adhesive Vinyl Markers - KCIP Series

[illegible]

Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 488	KCIP-W 5x12	5x12	White	200	4000
808 489	KCIP-W 8x17.5	8x17.5	White	96	1920
808 490	KCIP-W 7x44	7x44	White	38	760
808 491	KCIP-W 10x17	10x17	White	78	1560
808 492	KCIP-W 9x12	9x12	White	120	2400
808 493	KCIP-W 6x15	6x15	White	154	3080
808 494	KCIP-W 9x15	9x15	White	90	1800
808 495	KCIP-W 8x20	8x20	White	80	1600
808 496	KCIP-W 9x35	9x35	White	45	900
808 497	KCIP-W 9x50	9x50	White	30	600

[illegible]



808 498	KCIP-Y 5x12	5x12	Yellow	200	4000
808 499	KCIP-Y 8x17,5	8x17,5	Yellow	96	1920
808 500	KCIP-Y 7x44	7x44	Yellow	38	760
808 501	KCIP-Y 10x17	10x17	Yellow	78	1560
808 502	KCIP-Y 9x12	9x12	Yellow	120	2400
808 503	KCIP-Y 6x15	6x15	Yellow	154	3080
808 504	KCIP-Y 9x15	9x15	Yellow	90	1800
808 505	KCIP-Y 8x20	8x20	Yellow	80	1600
808 506	KCIP-Y 9x35	9x35	Yellow	45	900
808 507	KCIP-Y 9x50	9x50	Yellow	30	600

		Klemsan®	
		KCIP-S 15 x 45	
		808512	
	808512		808512
9	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
8	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
7	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
6	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
5	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
4	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
3	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
2	KCIP-S 15x45		KCIP-S 15x45
	808512		808512
1	KCIP-S 15x45		KCIP-S 15x45

808 508	KCIP-S 12,5x27	12,5x27mm	Silver	600	30
808 509	KCIP-S 15x27	15x27mm	Silver	540	27
808 510	KCIP-S 18x27	18x27mm	Silver	420	21
808 511	KCIP-S 18x35	18x35mm	Silver	420	21
808 512	KCIP-S 15x45	15x45mm	Silver	360	18
808 513	KCIP-S 30x70	30x70mm	Silver	80	4
808 514	KCIP-S 40x90	40x90mm	Silver	60	3

Marking for Panel Surface and Components

Adhesive Flat PVC Markers - KCIPA-W Series



Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 701	KCIPA-W 10x17	10x17	White	78	1560
808 702	KCIPA-W 9x12	9x12	White	120	2400
808 703	KCIPA-W 6x15	6x15	White	154	3080
808 704	KCIPA-W 9x15	9x15	White	90	1800
808 705	KCIPA-W 8x20	8x20	White	80	1600
808 706	KCIPA-W 9x35	9x35	White	45	900
808 707	KCIPA-W 9x50	9x50	White	30	600
808 708	KCIPA-W 8x27	8x27	White	48	960
808 709	KCIPA-W 12.5x27	12,5x27	White	30	600
808 710	KCIPA-W 15x27	15x27	White	27	540
808 711	KCIPA-W 18x27	18x27	White	21	420
808 712	KCIPA-W 27x27	27x27	White	15	300
808 713	KCIPA-W 18x35	18x35	White	21	420
808 714	KCIPA-W 15x50	15x50	White	18	360
808 715	KCIPA-W 15x67	15x67	White	9	180
808 716	KCIPA-W 50x100	50x100	White	2	40
808 717	KCIPA-W 105x130	105x130	White	1	20
808 718	KCIPA-W 75x100	75x100	White	1	20
808 719	KCIPA-W 30x60	30x60	White	4	80
808 720	KCIPA-W 40x80	40x80	White	3	60

Marking for Panel Surface and Components

Adhesive Flat PVC Markers - KCIPA-Y Series



Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 751	KCIPA-Y 10x17	10x17	Yellow	78	1560
808 752	KCIPA-Y 9x12	9x12	Yellow	120	2400
808 753	KCIPA-Y 6x15	6x15	Yellow	154	3080
808 754	KCIPA-Y 9x15	9x15	Yellow	90	1800
808 755	KCIPA-Y 8x20	8x20	Yellow	80	1600
808 756	KCIPA-Y 9x35	9x35	Yellow	45	900
808 757	KCIPA-Y 9x50	9x50	Yellow	30	600
808 758	KCIPA-Y 8x27	8x27	Yellow	48	960
808 759	KCIPA-Y 12.5x27	12,5x27	Yellow	30	600
808 760	KCIPA-Y 15x27	15x27,5	Yellow	27	540
808 761	KCIPA-Y 18x27	18x27	Yellow	21	420
808 762	KCIPA-Y 27x27	27x27	Yellow	15	300
808 763	KCIPA-Y 18x35	18x35	Yellow	21	420
808 764	KCIPA-Y 15x50	15x50	Yellow	18	360
808 765	KCIPA-Y 15x67	15x67	Yellow	9	180
808 766	KCIPA-Y 50x100	50x100	Yellow	2	40
808 767	KCIPA-Y 105x130	105x130	Yellow	1	20
808 768	KCIPA-Y 75x100	75x100	Yellow	1	20
808 769	KCIPA-Y 30x60	30x60	Yellow	4	80
808 770	KCIPA-Y 40x80	40x80	Yellow	3	60




Adhesive Flat PVC Markers - KCIPA-S Series




Marking for Panel Surface and Components

Marking For Buttons



Order No	Product	Size	Print Area (mm)	Color	Qty.
809 501	KCPBA-W	30x40	30x12	White	180
809 502	KCPBA-W	30x50	30x20	White	120
809 511	KCPBA-Y	30x40	30x12	Yellow	180
809 512	KCPBA-Y	30x50	30x20	Yellow	120
809 521	KCPBA-S	30x40	30x12	Silver	180
809 522	KCPBA-S	30x50	30x20	Silver	120

Non Adhesive Rigid Flat PVC Markers - KCIPR series



Order No	Product	Print Area (mm)	Color	Labels per Card	Labels per Pack
808 551	KCIPR-W 15x27	15x27	White	27	540
808 552	KCIPR-W 18x27	18x27	White	21	420
808 554	KCIPR-W 15x50	15x50	White	18	360
808 555	KCIPR-W 15x67	15x67	White	8	180
808 601	KCIPR-Y 15x27	15x27	Yellow	27	540
808 602	KCIPR-Y 18x27	18x27	Yellow	21	420
808 604	KCIPR-Y 15x50	15x50	Yellow	18	360
808 605	KCIPR-Y 15x67	15x67	Yellow	9	180
808 651	KCIPR-S 15x27	15x27	Silver	27	540
808 652	KCIPR-S 18x27	18x27	Silver	21	420
808 654	KCIPR-S 15x50	15x50	Silver	18	360
808 655	KCIPR-S 15x67	15x67	Silver	9	180

Tag Holders Selection Guide



Order No	Product	KCIPR 15x27	KCIPR 15x50	KCIPR 15x67
509 600	Y-PER 1730	✓		
509 601	Y-PER 1752		✓	
509 602	Y-PER 1770			✓
509 700	Y-PBR S	✓		
509 701	Y-PBR T	✓		



Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
AVK 2,5										•								
AVK 4											•							
AVK 6												•						
AVK 10													•					
AVK 16													•	•				
AVK 50																•		•
AVK 70 RD																•		•
AVK 95																•		•
AVK 150																•		•
AVK 240																•		•
AVK 2,5 RD										•								
AVK 4 RD											•							
AVK 16 RD													•	•				
AVK 25 RD													•	•				
AVK 35 RD													•	•	•			
AVK 50T																•		•
AVK 2,5T RD										•								
AVK 4 T RD											•							
AVK 16 T RD													•	•				
AVK 35 T RD													•	•	•			
AVK PB 50																•		•
AVK PB 70 RD																•		•
AVK PB 95																•		•
AVK PB 150																•		•
AVK PB 240																•		•
AVK 95 B													•					
AVK 150 B													•	•				
AVK 240 B													•	•	•			
AVK 2,5 CC										•								
AVK 4 GD			•								•							
AVK 10 RD 4													•					
AVK 2,5 F										•								
AVK 2,5 CF										•								
AVK 2,5 A										•								•
AVK 2,5R										•								•
AVK 2,5RT										•								•
AVK SKT			•															
AVK SKTD			•															
AVK AS											•							
AVK ASD											•							
AVK 2,5 CCT										•								
AVK 10 T RD 4													•					
AVK 2,5 EA										•								
AVK 2,5 CCA										•								
AVK 4 FS			•															
AVK 2,5-4TK											•							
AVK 4A											•							•
AVK 4CC											•							
AVK 4CCA											•							
AVK 4CE											•							
AVK 4CEA											•							
AVK Y4																		•
AVK Y6												•						•
AVK Y10													•					•
AVK 4R											•							•
AVK 4RT											•							•
AVK 6TK												•						
AVK 10TK													•					
AVK 35 IRDS													•	•	•			
AVK 35 RDS													•	•	•			
AVK 35T IRDS													•	•	•			
AVK 35T RDS													•	•	•			
MVK 2,5			•															
MVK 4			•															

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
MVK 2,5 T			•															
MVK 4 T			•															
PIK 2,5 N										•								
PIK 2,5 NK										•								
PIK 2,5 ND-A										•								
PIK 2,5 ND-B										•								
PIK 2,5 NLD										•								
PIK 4 N											•							
PIK 4 NK											•							
PIK 4 ND-A											•							
PIK 4 ND-B											•							
PIK 4 NLD											•							
PIK 2,5 NT										•								
PIK 4 NT											•							
PUK 3			•															
PUK 2 T			•															
PUK 3 T			•															
PUK 3 S			•															
PUK 3 SLD (NPN)			•															
PUK 3 SLD (PNP)			•															
ASK 2 B							•											
ASK 2 S							•											
ASK 4 B												•						
ASK 4 S												•						
ASK 4 LD												•						
ASK 5												•						
ASK 5B												•						
ASK 5 LD												•						
ASK 2 LD							•											
PYK 1,5 M		•																•
PYK 1,5		•															•	•
PYK 2,5										•							•	•
PYK 4											•						•	•
PYK 6												•					•	•
PYK 10													•				•	•
PYK 1,5 MT		•																•
PYK 2,5 T										•							•	•
PYK 4 T											•						•	•
PYK 6 T												•					•	•
PYK 10 T													•				•	•
PYK 2,5-2 F										•							•	•
PYK 2,5-2 FK										•							•	•
PYK 2,5 - 2 FLD										•							•	•
PYK 4 - 2 F											•						•	
PYK 2,5 - 2 FD A										•							•	•
PYK 2,5 - 2 FD B										•							•	•
PYK 2,5 - 3 F										•							•	•
PYK 2,5 - 2 FT										•							•	•
PYK 2,5 - 3 FT										•							•	•
PYK 3 S										•							•	
PYK 3 SLD (NPN)										•							•	
PYK 3 SLD (PNP)										•							•	
PYK 4 S												•					•	
PYK 4 I												•					•	
PYK 4 ILD												•					•	
PYK 4 SLD												•					•	
PYK 2,5 A										•							•	•
PYK 2,5 EA										•							•	•
PYK 2,5 CCA										•							•	•
PYK 2,5 E										•							•	•
PYK 2,5 ET										•							•	•
PYK 1,5 MC		•																
PYK 1,5 MCT		•																
PYK 1,5 ME		•																

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
PYK 1,5 MET		•																
PYK 2,5 C										•							•	•
PYK 2,5 CT										•							•	•
PYK 4 E											•						•	•
YBK 2,5										•								
YBK 4											•							
YBK 6												•						
YBK 10													•					
YBK 2,5 T										•								
YBK 4 T											•							
YBK 6 T												•						
YBK 10 T													•					
MYK 2,5			•															
MYK 2,5 C			•															
MYKR 2,5			•															
MYKR 2,5 C			•															
MYK 2,5 T			•															
MYPK 2,5			•															
MYPK 2,5 C			•															
MYSK 2,5			•															
YBK 2,5-2 F			•															
YBK 2,5-2 FK			•															
YBK 2,5-2 FD-A			•															
YBK 2,5-2 FD-B			•															
YBK 2,5-2 FLD			•															
YBK 4-2 F											•							
YBK 4-2 FK											•							
YBK 4-2 FD-A											•							
YBK 4-2 FD-B											•							
YBK 4-2 FLD											•							
YBK 2,5-3 F			•															
YBK 2,5-2 FT			•															
YBK 2,5-3 FLD (NPN)			•															
YBK 2,5-3 FLD (PNP)			•															
YBK 3 S			•															
YBK 3 SLD (NPN)			•															
YBK 3 SLD (PNP)			•															
YBK S			•															
YBK SB			•															
YBK SLD			•															
YBK 2,5 A										•								
YBK I			•															
YBK IB			•															
YBK ILD			•															
YBK 2,5 E										•								
YBK 2,5 C										•								
YBK 2,5 CX2										•								
YBK 2,5 CD										•								
YBK 2,5 CLD										•								
YBK 2,5 CT										•								
YBK 2,5 ET										•								
PCY 2,5			•															
PCY 2,5 N			•															
PCY 2,5 E			•															
PCY 2,5 L			•															
PCY 2,5 EL			•															
PB 2,5											•							
PB 2,5T											•							
PB 2,5K											•							
PB 6												•						
PB 6K												•						
PB 25_M5													•					
PB 25_M6													•					
PB 6 T												•						

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
CPB 6			•															
CPB 6B			•															
WGO 1												•						
WGO 2 N													•					•
WGO 2 IR													•					•
WGO 3												•						
WGO 4												•						•
WGO 5												•						•
WGL 1												•						
WGO Y 6												•						•
WGO YD 6												•						•
WGO PB 6												•						•
WGO PBD 6												•						•
PYKM 2,5			•															•
PYKM 2,5 T			•															•
PYKMR 2,5			•															•
AYK 10/16			•															
TRV 4 S			•															
WG - Eki											•							
PTP 2,5				•														•
PTP 2,5T				•														•
CTP 2,5				•														•
CTP 2,5T				•														•
CTP 2,5E				•														•
CTP 2,5ET				•														•
CTP 2,5C				•														•
CTP 2,5CT				•														•
CTP 2,5EA				•														•
CTP 2,5-2F				•													•	•
CTP 2,5-FT				•													•	•
CTP 2,5-2T				•													•	•
CTP 2,5-FK				•													•	•
SG_PT 2,5				•													•	
SG_PT 2,5CS				•													•	
SG_PT 2,5DB				•													•	
SG_PT 2,5AN				•													•	
SC_PT 2,5				•													•	
SC_PTS 2,5				•													•	
SC_PTR 2,5				•													•	
SRD 2,5				•														•
SRD 2,5D-A				•														•
SRD 2,5D-B				•														•
SRD 2,5E				•														•
SRD 2,5ED-A				•														•
SRD 2,5ED-B				•														•
SRD 2,5C				•														•
SRD 2,5CD-A				•														•
SRD 2,5CD-B				•														•
SRD 2,5Cx2				•														•
SRD 2,5CLD-24VDC				•														•
SRD 2,5CLD-24VAC				•														•
SRD 2,5CLD-48VDC				•														•
SRD 2,5CLD-48VAC				•														•
SRD 2,5CLD-110VDC				•														•
SRD 2,5CLD-110VAC				•														•
SRD 2,5CLD-220VDC				•														•
SRD 2,5CLD-220VAC				•														•
SRD 2,5A				•														•
SRD 2,5AD-A				•														•
SRD 2,5AD-B				•														•
SRD 2,5AK				•														•
SRD 2,5EA				•														•
SRD 2,5EAD-A				•														•
SRD 2,5EAD-B				•														•

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
SRD 2,5EAK				•														•
SRD 2,5CA				•														•
SRD 2,5CAD-A				•														•
SRD 2,5CAD-B				•														•
SRD 2,5CAK				•														•
SRD 2,5-2F				•													•	
SRD 2,5-2FD-A				•													•	
SRD 2,5-2FD-B				•													•	
SRD 2,5-2FD-R				•													•	
SRD 2,5-2FLD-24VDC				•													•	
SRD 2,5-2FLD-24VAC				•													•	
SRD 2,5-2FLD-48VDC				•													•	
SRD 2,5-2FLD-48VAC				•													•	
SRD 2,5-2FLD-110VDC				•													•	
SRD 2,5-2FLD-110VAC				•													•	
SRD 2,5-2FLD-220VDC				•													•	
SRD 2,5-2FLD-220VAC				•													•	
SRD 2,5-F2D-A				•													•	
SRD 2,5-F2D-B				•													•	
SRD 2,5-FD-L				•													•	
SRD 2,5-FN				•													•	
SRD 2,5-2FK				•													•	
SRD 2,5-FT				•													•	
SRD 2,5-NT				•													•	
SRD 2,5-3F				•													•	
SRD 2,5-3FK				•													•	
SRD 2,5-2KF				•													•	
SRD 2,5-3FLD-24VDC				•													•	
SRD 2,5-3FLD-48VDC				•													•	
SRD 2,5-3FLD-110VDC				•													•	
SRD 2,5-3FLD-220VDC				•													•	
SRD 2,5-2FT				•													•	
SRD 3S				•													•	
SRD 3SLD-NPN				•													•	
SRD 3SLD-PNP				•													•	
SRD 4					•													•
SRD 4D_A					•													•
SRD 4D_B					•													•
SRD 4T					•													•
SRD 4E					•													•
SRD 4ED_A					•													•
SRD 4ED_B					•													•
SRD 4ET					•													•
SRD 4C					•													•
SRD 4CD_A					•													•
SRD 4CD_B					•													•
SRD 4Cx2					•													•
SRD 4CLD-24VDC					•													•
SRD 4CLD-24VAC					•													•
SRD 4CLD-48VDC					•													•
SRD 4CLD-48VAC					•													•
SRD 4CLD-110VDC					•													•
SRD 4CLD-110VAC					•													•
SRD 4CLD-220VDC					•													•
SRD 4CLD-220VAC					•													•
SRD 4CT					•													•
SRD 4A					•													•
SRD 4AD_A					•													•
SRD 4AD_B					•													•
SRD 4AK					•													•
SRD 4-2F					•												•	
SRD 4-2FD-A					•												•	
SRD 4-2FD-B					•												•	
SRD 4-2FD-R					•												•	

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
SRD 4-2FLD-24VDC					•												•	
SRD 4-2FLD-24VAC					•												•	
SRD 4-2FLD-48VDC					•												•	
SRD 4-2FLD-48VAC					•												•	
SRD 4-2FLD-110VDC					•												•	
SRD 4-2FLD-110VAC					•												•	
SRD 4-2FLD-220VDC					•												•	
SRD 4-2FLD-220VAC					•												•	
SRD 4-F2D-A					•												•	
SRD 4-F2D-B					•												•	
SRD 4-2FD-L					•												•	
SRD 4-FN					•												•	
SRD 4-FK					•												•	
SRD 4-FT					•												•	
SRD 4-NT					•												•	
SRD 4-2T					•												•	
SRD 4-AF					•												•	
SRD 4S					•													
SRD 6							•					•						•
SRD 6E							•					•						•
SRD 6T							•					•						•
SRD 6ET							•					•						•
SRD 10								•					•					•
SRD 10E								•					•					•
SRD 10T								•					•					•
SRD 10ET								•					•					•
SRD 16									•					•				•
SRD 16T									•					•				•
CPB 6U			•															
SRD 4FS					•												•	
SRD 1,5		•																•
SRD 1,5E		•																•
SRD 1,5C		•																•
SRD 1,5 FT		•															•	
SRD 1,5-2F		•															•	
SRD 1,5T		•																•
SRD 1,5ET		•																•
SRD 1,5CT		•																•
SRD 1,5-2T		•															•	
PAK 25-35														•				•
PAK 50-70														•				•
PAK 95-150														•	•			•
PAK 185-240														•	•			•
PAK 300														•	•			•
SRD 2,5ME				•													•	
SRD 2,5MC				•													•	
SRD 2,5 MET				•													•	
FS 4											•							
VFS 4											•							
TST 1.5		•																
TST 2.5				•														
TST 4					•													
AVK 4 FST/NM			•															
AVK 4 FSTLD/NM 24V			•															
AVK 4 FSTLD/NM 48V			•															
AVK 4 FSTLD/NM 110V			•															
AVK 4 FSTLD/NM 220V			•															
PRD 1	•																	•
PRD 1E	•																	•
PRD 1C	•																	•
PRD 1FT	•																•	
PRD 1-2F	•																•	
PRD 1T	•																	•
PRD 1ET	•																	•

Product Name	D-NS 3,6x6	D-NS 4,2x6	D-NS 5x6	D-NS 5,2x6	D-NS 6,2x6	D-NS 7x5	D-NS 8x6	D-NS 10x6	D-NS 12x6	D-NS 5x10	D-NS 6x10	D-NS 8x10	D-NS 10x10	D-NS 12x10	D-NS 14x10	D-NS 20x9	4,9mm Strip Label	11,2mm Strip Label
PRD 1CT	•																	•
PRD 1-2T	•																•	
PRD 2,5				•														•
PRD 2,5D_A				•														•
PRD 2,5D_B				•														•
PRD 2,5E				•														•
PRD 2,5ED-A				•														•
PRD 2,5ED-B				•														•
PRD 2,5C				•														•
PRD 2,5CD-A				•														•
PRD 2,5CD-B				•														•
PRD 2,5Cx2				•														•
PRD 2,5A				•														•
PRD 2,5AK				•														•
PRD 2,5EA				•														•
PRD 2,5EAD-A				•														•
PRD 2,5EAD-B				•														•
PRD 2,5EAK				•														•
PRD 2,5CA				•														•
PRD 2,5CAD-A				•														•
PRD 2,5CAD-B				•														•
PRD 2,5CAK				•														•
PRD 2,5-2F				•													•	
PRD 2,5-2FD-A				•													•	
PRD 2,5-2FD-B				•													•	
PRD 2,5-2FD-R				•													•	
PRD 2,5-2FD-L				•													•	
PRD 2,5-F2D-A				•													•	
PRD 2,5-F2D-B				•													•	
PRD 2,5-F2D-C				•													•	
PRD 2,5-2FK				•													•	
PRD 2,5-FN				•													•	
PRD 2,5-FT				•													•	
PRD 2,5-NT				•													•	
PRD 2,5-3F				•													•	
PRD 2,5-3FK				•													•	
PRD 2,5-2KF				•													•	
PRD 2,5-3FLD-24VDC				•													•	
PRD 2,5-3FLD-48VDC				•													•	
PRD 2,5-3FLD-110VDC				•													•	
PRD 2,5-3FLD-220VDC				•													•	
PRD 2,5-2FT				•													•	
PRD 2,5-NFT				•													•	
PRD 2,5-3S				•													•	
PRD 2,5-3SLD-NPN				•													•	
PRD 2,5-3SLD-PNP				•													•	
PRD 2,5-2ST				•													•	
PRD 2,5T				•														•
PRD 2,5ET				•														•
PRD 2,5CT				•														•
PRD 2,5-2T				•													•	
PRD 2,5-3T				•													•	
PRD 2,5AA				•													•	
PRD 2,5-M2F				•													•	
PRD 2,5-M2FT				•													•	
PRD 2,5-2FC				•													•	
PRD 2,5-2FCT				•													•	
PRD 2,5PC				•														•
PRD 2,5-2FPC				•													•	
TRV 4						•												
TRV 4 B						•												
TRV 4 M						•												
TRV 4 S						•												
TRV 4 T						•												
TRV 10						•												

Thermal Roll Printer and ■ Labeling Solutions

TE300 Series



TE Series - Thermal Roll Printing

Order No	Product	Hardware Connectivity
808 479	TE 300 (300 DPI)	USB
808 480	TE 310 (300 DPI)	USB, Ethernet, Serial RS-232, USB Host

TE Series has the same system as KLeCard – Thermal transfer system. TE Series is designed for roll form tags and labels whereas Klecard is designed for card shape media. TE Series labels are required to be polyester, paper or any kind of soft material which can easily pass through the thermal printhead. TE Series is the fastest and easiest way for high volume roll form labels printing with 300 dpi resolution. Three different sizes of black resin ribbons can be used with this printer.



Terminal blocks, cables, panel components, buttons, heat shrinkable sleeves and many more products can be marked with our TE Series Printer thanks to our marking software Klemark-Pro.

TE Series Hardware Features

Next generation high-performance TE Series desktop thermal printer, brings new standards in thermal printing and offers greater performance, compared to other printers in his field. The 4 inch series can simply print anything, tiny little symbols, numbers, graphics and barcodes for your applications; from cable marking with the smallest dimensions up to information cards for machine identification. Create high-quality, fast and durable labels for your marking needs.

- 1) Print speed up to 204 mm (8 inch) per second
- 2) 128 MB flash and 64 MB SDRAM memory
- 3) User-friendly, double-walled folding design
- 4) Serial cable, internal Ethernet,
- 5) USB 2.0 & USB Host standard
- 6) 300 meter ribbon compatible
- 7) ENERGY STAR®qualified

High Availability
Quick setup
Economic Printing



The printer offers the following optional features.

TE Series	User options	Dealer options	Factory options
Extended plate for external roll mount assembly with 3" core label spindle (8.4 OD)	•		
Internal Bluetooth v4.0			•

For TE 310 Series only	User options	Dealer options	Factory options
KP-200 Plus (with RS-232 interface)	•		
External BT module (with RS-232 interface)	•		
Peeler module		•	
Regular full cut cutter (Guillotine cutter)		•	
Media thickness: 0.06–0.19 mm Media type: receipt and label liner w/o glue		•	
Regular full/partial cutter (Guillotine cutter)		•	
Media thickness: 0.06–0.19 mm Media type: receipt and label liner w/o glue		•	
Internal Wi-Fi module			•

Features

Product standard features	TE300	TE310
Order No	808 479	808 480
Thermal transfer printing	●	●
Direct thermal printing	●	●
Plastic	●	●
Gap sensor	●	●
Reflective, full-range moveable black mark sensor	●	●
Ribbon sensor	●	●
Head open sensor	●	●
USB 2.0 (Hi-Speed) interface	●	●
16 MB DRAM memory	●	–
64 MB DRAM memory	–	●
8 MB Flash memory	●	–
128 MB Flash memory	–	●
RTC	–	●
BUZZER	–	●
One button for feed and pause	●	●
One LED indicator for 3 colors	●	●
Standard industry emulations right out of the box including Eltron® and Zebra® language support	●	●
Internal 8 alpha-numeric bitmap fonts	●	●
Fonts and bar codes can be printed in any one of the four directions (0, 90,180, 270 degrees)	●	●
Internal Monotype Imaging® true type font engine with one CG Triumvirate Bold Condensed scalable font	●	●
Downloadable fonts from PC to printer memory	●	●
Downloadable firmware upgrades	●	●
General Specifications		
Dimensions	204 mm (W) x 164 mm (H) x 280 mm (L)	
Weight	2.4 kg	2.5 kg
Electrical	External universal switching power supply Input: AC 100-240V, 2A, 50-60 Hz Output: DC 24V, 2.5A, 60W, LPS	
Environmental condition	Operation: 5 ~ 40 °C (41 ~ 104 °F), 25~85% non-condensing Storage: -40 ~ 60 °C (-40 ~ 140 °F), 10~90% non-condensing	
Print Specifications		
Print head resolution	300 dots/inch (12 dots/mm)	
Printing method	Thermal transfer and direct thermal	
Dot size (width x length)	0.084 x 0.084 mm (1 mm = 11.8 dots)	
Print speed (inches per second)	Up to 5 ips Up to	Up to 5 ips
Print speed for peel mode	N/A	Up to 3 ips
Max. print width	105.7 mm (4.16")	105.7 mm (4.16")
Max. print length	1,016 mm (40")	11,430 mm (450")
Media Specifications		
Label roll capacity	Max. 5" OD	
Media type	Continuous, die-cut, black mark, fan-fold, notch	
Media wound type	Outside wound	
Media width	20mm ~ Max. 112 mm	
Media thickness	0.06 mm (2.36 mil) ~ 0.19 mm (7.48 mil)	
Media core diameter	1" (25.4 mm) & 1.5" (38 mm) ID core	
Label length	5 mm ~ Max. printing length	
Label length (peeler mode)	N/A	1" ~ 6" (25.4 ~ 152.4 mm)
Label length (cutter mode)	N/A	1" ~ Max. printing length
Gap height	Min. 2 mm (0.09")	
Black mark height	Min. 2 mm (0.09")	
Black mark width	Min. 8 mm (0.31")	
Ribbon Specifications		
Ribbon outside diameter	1i core: Max. 67mm	
	0.5i core: Max. 40mm	
Ribbon length	1i inner core: 300 meters	
	0.5i inner core: 110 meters	
Ribbon core inside diameter	0.5 and 1 inch	
Ribbon width	30 ~ 110 mm	
Ribbon wound type	Outside wound	

TE Series Printer and Accessories

Ribbons

- 1) Thermal transfer film (ribbon) and labelling material
- 2) Thermal transfer head
- 3) Printed label
- 4) Pressing roller
- 5) Used thermal transfer film (ribbon)



Order No	Product	Size	Color	Qty.
1020 010	Klemark Ribbon	30 mm x 300 m	Black	1
1020 011	Klemark Ribbon	50 mm x 300 m	Black	1
1020 012	Klemark Ribbon	110 mm x 300 m	Black	1
1020 013	Klemark Ribbon	40 mm x 300 m	Black	1



* Ribbon code **1020 013** is compatible with **HSL Heatshrink Tubing**.

Marking for Terminal Blocks






Order No	Product	Size	Color	Qty.
1020 100	SLF - P1 W	11,2 mm x 15 m	White	1
1020 110	SLF - P2 W	4,9 mm x 15 m	White	1

* See page 332 - 338 for **Terminal Blocks** selection guide.



Marking for Terminal Blocks

Group Marking Carrier



Order No	Product	Description	Compatible with	Color	Qty.
498 210	ETS 2 PYK 2,5	Group Marking Carrier (two levels)	PYK 2,5 - 2 F / PYK 2,5 - 2 FK / PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT / PYK 2,5 2 FLD	Beige	50
498 219	ETS 2 PYK 2,5	Group Marking Carrier (two levels)	PYK 2,5 - 2 F / PYK 2,5 - 2 FK / PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT / PYK 2,5 2 FLD	Grey	50
498 217	ETS 2 PYK 2,5	Group Marking Carrier (two levels)	PYK 2,5 - 2 F / PYK 2,5 - 2 FK / PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT / PYK 2,5 2 FLD	Orange	50
498 220	ETS 3 PYK 2,5	Group Marking Carrier (three levels)	PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT	Beige	50
498 229	ETS 3 PYK 2,5	Group Marking Carrier (three levels)	PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT	Grey	50
498 227	ETS 3 PYK 2,5	Group Marking Carrier (three levels)	PYK 2,5 - 3 F / PYK 2,5 - 2 FT / PYK 2,5 - 3 FT	Orange	50
498 230	ETS 2 PYK 4	Group Marking Carrier (two levels)	PYK 4 - 2FN	Beige	25
498 239	ETS 2 PYK 4	Group Marking Carrier (two levels)	PYK 4 - 2FN	Grey	25
498 237	ETS 2 PYK 4	Group Marking Carrier (two levels)	PYK 4 - 2FN	Orange	25
498 289	ETS	Group Marking Carrier for Screw Terminals	AVK 2,5, AVK 10, AVK 4, AVK 6, AVK 25 RD, AVK 35 RDS, AVK 35 IRDS, AVK 16 RD, AVK 16, AVK 35 RD, AVK 2,5 / 4 TK, AVK 6 TK, AVK 10 TK, AVK 35 T RD, AVK 35 T RDS, AVK 35 T IRDS, AVK 2,5 RD, AVK 4 RD, AVK 2,5 CC, AVK 2,5 T RD, AVK 4 T RD, AVK 2,5 CCT, AVK 4 CCT, AVK 10 T RD 4, AVK 10 RD 4, AVK 4 CC, AVK 2,5 F, AVK 2,5 CF, AVK 95B, AVK 150B, AVK 240B, PIK 2,5 N, PIK 2,5 NT, PIK 4N, PIK 4 NT, ASK 3 A, AVK 2,5 CCA, AVK 4 CCA, ASK 4 B, WGO 3, WGO 1, WGL 1, YBK 2,5, YBK 4, YBK 6, YBK 10, YBK 2,5 T, YBK 4 T, YBK 6 T, YBK 10 T, YBK 2,5 A, YBK 2,5 E, YBK 2,5 C, YBK 2,5 CT, YBK 2,5 ET	Grey	100

Marking for Cables

Cable Markers - TTKP Series



Order No	Product	Print Area (mm)	Color	Labels per Line	Qty.
808 158	TTKP 8x10	4x10	Yellow / White	4	4.000
808 159	TTKP 8x15	4x15	Yellow / White	4	4.000
808 160	TTKP 8x30	4x30	Yellow/ White	2	2.500

* TTKP labels are double colored.

Transparent Holders For Cable Markers - KCKKS Series




1. Mark the signs on the perforation line.



2. Fold it on the crease line and slide it into label holder.



3. The flexible material optimally adapts to the selected mounting support.



TAG HOLDERS SELECTION GUIDE			
Products	TTKP 8x10	TTKP 8x15	TTKP 8x30
KCKKS 10	✓		
KCKKS 15		✓	
KCKKS 30			✓

Marking for Cables

PVC Markers - I-KBE Series



1. Mark the signs on the perforation line.



2. Fold it on the crease line and slide it into KBE label holder to placed.



3. Close the label carrier and attach to the cable using a cable tie.

Order No	Product	Print Area (mm)	Color	Qty.
808 164	I-KBE1 29x8 Y/W	29x8	Yellow / White	1.000
808 165	I-KBE2 39x15 Y/W	39x15	Yellow / White	1.000

* I-KBE labels are double colored.

Selection Guide

Order No	Product	I-KBE 1	I-KBE 2
520 110	KBE 1	✓	
520 120	KBE 2		✓




KBE 1



KBE 2

Cable Labels (Use With Cable Tie)





Order No	Product	Print Area (mm)	Cable Ø	Cable Tie Hole Size (mm)	Color	Qty.
808 473	TTKB 60x10 YL/W	44x10	2-10	5x2	Yellow/White	500
808 474	TTKB 60x10 RD/W	44x10	2-10	5x2	Red/White	500
808 475	TTKB 60x10 BL/W	44x10	2-10	5x2	Blue/White	500
808 476	TTKB 60x10 GN/W	44x10	2-10	5x2	Green/White	500
808 477	TTKB 60x10 SV/W	44x10	2-10	5x2	Silver/White	500

* TTKB labels are double colored.

Marking for Cables

Self Laminated Cable Markers - TTSL Series



Order No	Product (BxA)	Print Area (BxC) (mm)	Cable Diameter (mm)	Color	Qty.
808 070	TTSL 40- WH 12,7x19,5	12,7x9,5	D: 3	White	2.000
808 071	TTSL 40- WH 19x23,8	19x9,5	D: 4	White	5.000
808 072	TTSL 40- WH 12,7x36,5	12,7x12,7	D: 7	White	2.000
808 073	TTSL 40- WH 19x44,5	19x12,7	D: 10	White	2.000
808 074	TTSL 40- WH 25,4x36,5	25,4x12,7	D: 7	White	1.500
808 075	TTSL 40- WH 25,4x57,15	25,4x19	D: 12	White	1.500
808 076	TTSL 40- WH 25,4x95,25	25,4x25,4	D: 22	White	1.500
808 077	TTSL 40- WH 25,4x152,4	25,4x38,1	D: 36	White	1.000
808 078	TTSL 40- WH 50,8x92,25	50,8x25,4	D: 22	White	1.000
808 079	TTSL 40- WH 50,8X177,8	50,8x38,1	D: 44	White	500

Printable Heatshrink Markers - HSL Series

Halogen Free **VO** raw material




Order No	Product	Qty.
1020 050	HSL Adapter for TTP Series	1
1020 060	HSL Adapter for TE Series	1
1020 070	HSL Adapter for TX Series	1

Order No	Product	Cross-Section (mm)	Length (m)	Color	Qty.
579 010	HSL-02-Y	0.25 ~ 1	400	Yellow	1
579 011	HSL-03-Y	1 ~ 1.5	400	Yellow	1
579 012	HSL-4.5-Y	2.5	200	Yellow	1
579 013	HSL-06-Y	4 ~ 6	200	Yellow	1
579 014	HSL-10-Y	6 ~ 10	100	Yellow	1
579 015	HSL-12-Y	6 ~ 12.7	100	Yellow	1
579 016	HSL-15-Y	7.5 ~ 15	100	Yellow	1
579 017	HSL-19-Y	9.5 ~ 19	100	Yellow	1
579 018	HSL-25-Y	12.5 ~ 25	50	Yellow	1
579 019	HSL-28-Y	14 ~ 28	50	Yellow	1
579 020	HSL-30-Y	16 ~ 30	50	Yellow	1


*Heat shrink tubing is printed with 1020013 coded ribbon.

Marking for Panel Surface and Components

Pvc Markers - PYE - SPYE Series



PYE



SPYE

Order No	Product	Print Area (mm)	Color	Qty.
808 403	PYE-01 YL	17x10	Yellow	2.500
808 404	PYE-02 YL	15x6	Yellow	2.500
808 405	PYE-03 YL	12x9	Yellow	2.500
808 406	PYE-04 YL	15x9	Yellow	2.500
808 409	PYE-05 YL	18x8	Yellow	2.500

808 429	SPYE-00 SV	27x12,5	Silver	2.500
808 430	SPYE- 01 SV	27x15	Silver	2.500
808 400	SPYE-02 SV	27x18	Silver	2.500
808 431	SPYE-03 SV	35x18	Silver	1.500
808 401	SPYE- 04 SV	70x30	Silver	250
808 402	SPYE-05 SV	90x40	Silver	250
808 454	SPYE-06 SV	100x50	Silver	250
808 432	SPYE-06 SV	45x15	Silver	2.000

Thick Polyester Markers - ETPS Series



0.8 mm Thickness



Order No	Product	Print Area (mm)	Color	Qty.
808 064	ETPS 40-SV 27x12.5	27x12,5	Silver	200
808 065	ETPS 40-SV 27x15	27x15	Silver	150
808 066	ETPS 40-SV 35x18	35x18	Silver	125
808 067	ETPS 40-SV 45x15	45x15	Silver	125
808 068	ETPS 40-SV 60x30	60x30	Silver	125
808 069	ETPS 40-SV 90x45	90x45	Silver	100

Marking for Panel Surface and Components


Adhesive Strip Labels - LSL Series



Order No	Product	Print Area	Color	Qty.
808 470	LSL-1,5 W	1.5 cm x 20 m	White	1
808 471	LSL-1,5 SV	1.5 cm x 20 m	Silver	1
808 472	LSL-1,5 YL	1.5 cm x 20 m	Yellow	1
808 433	LSL-03 W	3 cm x 20 m	White	1
808 434	LSL-03 SV	3 cm x 20 m	Silver	1
808 435	LSL-03 YL	3 cm x 20 m	Yellow	1
808 436	LSL-05 W	5 cm x 20 m	White	1
808 437	LSL-05 SV	5 cm x 20 m	Silver	1
808 438	LSL-05 YL	5 cm x 20 m	Yellow	1
808 439	LSL-08 W	8 cm x 20 m	White	1
808 440	LSL-08 SV	8 cm x 20 m	Silver	1
808 441	LSL-08 YL	8 cm x 20 m	Yellow	1

Marking for Panel Surface and Components

Pvc Markers - T-PBIP Series



Note: To ensure the best printing quality and efficiency on Klemsan Thermal Marking Systems, only Klemsan original consumable products must be used. Otherwise, the subject products will not be covered by warranty conditions.

Order No	Product	Print Area (mm)	Color	Qty.
808 161	T-PBIP 27x15 Y/W	27x15	Yellow / White	1.000
808 162	T-PBIP 50x15 Y/W	50x15	Yellow / White	1.000
808 163	T-PBIP 67x15 Y/W	67x15	Yellow / White	1.000
808 166	T-PBIP 27x8 Y/W	27x8	Yellow / White	1.000
808 167	T-PBIP 27x18 Y/W	27x18	Yellow / White	1.000

* T-PBIP labels are double colored.

Tag Holders Selection Guide




Order No	Product	T-PBIP 27x15	T-PBIP 50x15	T-PBIP 67x15
509 600	Y-PER 1730	✓		
509 601	Y-PER 1752		✓	
509 602	Y-PER 1770			✓
509 700	Y-PBR S	✓		
509 701	Y-PBR T	✓		



Plotter Consumables and Labeling Solutions

PLOTTER SYSTEM

Pen Plotter System is the labeling system which consists of one plotter and PC. System enables to label various kinds of tags by specially developed software. User can follow up by looking at the monitor and choose the right tag to be written easily. Marking is done on the standard polycarbon made blank tags which are resistible to rough environment conditions (dust, dirt and oil), frictions and ageing. System has a user friendly simple program working with Windows Operating System, and allows to import data from other files, such as E-Plan and Excel files.



K-R Type Plotter Pens and Ink

The refillable plotter pen K-R Type is available with six widths, used with etching ink. Ink cartridges containing special ink are suitable for marking, indentifying and labeling various plastics. It is fast-drying, smudge proof, light fast and resistant to spirits and petrol when used on suitable plastic material. It is possible to remove labels without damaging the underlying material by using the cleaning fluid.



Order No	Product	Width	Qty.
807 040	PLOT K-R 0,18 mm	0,18	1
807 041	PLOT K-R 0,25 mm	0,25	1
807 042	PLOT K-R 0,35 mm	0,35	1
807 043	PLOT K-R 0,50 mm	0,5	1
807 044	PLOT K-R 0,70 mm	0,7	1
807 045	PLOT K-R 1,00 mm	1	1

Order No	Product	Description	Qty.
807 070	PLOT KRT-P 1 ml.	5 x 1 ml. Cartridge	1

D Type Plotter Pens

The disposable plotter pen D Type is available with two widths. Once activated, pen should be kept in a dry, cool places, if not in use.



Order No	Product	Width	Qty.
807 921	KLM PLOTTER PEN - D 0,25 mm P 2.0	0,25	1
807 922	KLM PLOTTER PEN - D 0,35 mm P 2.0	0,35	1


Eco Series Plotter Pens

Eco series hand pens are produced with one side 0,35 mm width, the other 0,70 mm width. That gives possibility to label by one pen tags for terminals and tags with bigger sizes.




Order No	Product	Width	Qty.
807 055	Pilot Hand Pen	0,35 -0,70	12
807 907	Adaptor Pilot Pen Small (for Terminal Block Labels)		1
807 908	Adaptor Pilot Pen Large (for Button Labels)		1

Terminal Block Marking Tags




Order No	Product	Print Area	Print Area (mm)	Color	Qty.
503 700	DB 7,5x4,5	Plate	7,5x4,5	White	500
503 000	DB 10/4	Plate	10x4	White	500
505 850	DB 5	Plate	5x5	White	500
505 910	DB 10/5	Plate	10x5	White	510
505 915	DB 10/6	Plate	10x6	White	510
505 920	DB 10/6,5	Plate	10x6,5	White	510
505 310	DG 10/5	Plate	10x5	White	440
505 320	DG 10/6	Plate	10x6	White	360
505 330	DG 6/5	Plate	6x5	White	400
505 340	DG 7/5	Plate	7x5	White	440
505 380	DG 10/5 T	Plate	10x5	White	440
505 390	DG 10/6 T	Plate	10x6	White	360
505 410	DG 10/8	Plate	10x8	White	260
505 430	DG 10/10	Plate	10x10	White	200
502 000	DB 6/4	Plate	6x4	White	500

* See page 357 - 360 for **Terminal Blocks** selection guide.




Labeling with KLM Plotter Marking for Terminal Blocks


DG 10/5




DG 10/5 T



DG 10/6



DG 10/6 T




General Features				
Order No	505 310	505 380	505 320	505 390
Dimensions	10 x 5	10 x 5	10 x 6	10 x 6
Quantity	440	440	360	360
Plotter Plate	PLOT PL - A	PLOT PL - A	PLOT PL - A	PLOT PL - A


DG 6/5




DG 10/8



DG 10/10



DB 4



General Features				
Order No	505 330	505 410	505 430	503 000
Dimensions	6 x 5	10 x 8	10 x 10	10 x 4
Quantity	400	260	200	500
Plotter Plate	PLOT PL - A	PLOT PL - A	PLOT PL - A	PLOT PL - DB 4


DB 5




DB 10/5



DB 10/6



DB 10/6,5



General Features				
Order No	505 850	505 910	505 915	505 920
Dimensions	5 x 5	10 x 5	10 x 6	10 x 6,5
Quantity	500	500	500	500
Plotter Plate	PLOT PL - DB 5	PLOT PL - DB	PLOT PL - DB	PLOT PL - DB

Cable Marking Tags



Order No	Product	Type	Print Area (mm)	Color	Qty.
508 001	KIP 10 W	Plate	10x4	White	480
508 002	KIP 10 Y	Plate	10x4	Yellow	480
508 003	KIP 15 W	Plate	15x4	White	480
508 004	KIP 15 Y	Plate	15x4	Yellow	480
508 012	KIP 18 W	Plate	18x4	White	240
508 013	KIP 18 Y	Plate	18x4	Yellow	240
508 005	KIP 23 W	Plate	23x4	White	240
508 006	KIP 23 Y	Plate	23x4	Yellow	240
508 008	KIP 30 W	Plate	30x4	White	240
508 009	KIP 30 Y	Plate	30x4	Yellow	240

Cable Marking Sleeve Selection Guide



Product	KIP 10	KIP 15	KIP 18	KIP 23	KIP 30
KCKKS 10	✓				
KCKKS 15		✓			
KCKKS 18			✓		
KCKKS 23				✓	
KCKKS 30					✓

Cable Marking Tags Marking Plates

KIP 10 W



KIP 15 W



KIP 18 W



KIP 23 W



KIP 30 W



General Features					
Order No	508 001	508 003	508 012	508 005	508 008
Dimensions	10 x 4	15 x 4	18 x 4	23 x 4	30 x 4
Quantity	480	480	240	240	240
Plotter Plate	PLOT PL - A	PLOT PL - A	PLOT PL - A	PLOT PL - A	PLOT PL - A

Marking Plates					
Type	KIP 10 Y	KIP 15 Y	KIP 18 Y	KIP 23 Y	KIP 30 Y
Order No	508 002	508 004	508 013	508 006	508 009
Qty.	480	480	240	240	240
Color	Yellow	Yellow	Yellow	Yellow	Yellow

Marking Tags for Cable Ties



Cat. No.	Product	Max. Label Size (mm)	Color	Qty.
508 070	KBEP 209 W	20x9	White	240
508 071	KBEP 209 Y	20x9	Yellow	240
508 090	KBEP 2712 W	27x12	White	160

Self-Adhesive Panel Labels for Contactors



Order No	Product	Type	Print Area (mm)	Color	Qty.
508 051	KOIP SM W	Plate	20x9	White	240
508 057	KOIP TT W	Plate	17x8	White	240
Description					
Labelled with AVK 50, AVK 70 RD, AVK 95, AVK 150, AVK 240, AVK PB 50, AVK PB 70 RD, AVK PB 95, AVK PB 150, AVK PB 240					

* KOIP SM Series labels are compatible with Siemens contactors.
* KOIP TT Series labels are compatible with Telemec contactors.


Self-Adhesive Panel Labels



Order No	Product	Type	Print Area (mm)	Color	Qty.
508 060	Y-KOIP 209 W	Plate	20x9	White	240
508 061	Y-KOIP 209 Y	Plate	20x9	Yellow	240
508 065	Y-OIP 1710 W	Plate	17x10	White	288
508 066	Y-OIP 1710 Y	Plate	17x10	Yellow	288
508 820	Y-PBIP 2715 W	Plate	27x15	White	192
508 821	Y-PBIP 2715 G	Plate	27x15	Grey	192
508 822	Y-PBIP 2715 Y	Plate	27x15	Yellow	192
508 823	Y-PBIP 5015 W	Plate	50x15	White	96
508 824	Y-PBIP 5015 G	Plate	50x15	Grey	96
508 825	Y-PBIP 5015 Y	Plate	50x15	Yellow	96
508 826	Y-PBIP 6715 W	Plate	67x15	White	96
508 827	Y-PBIP 6715 G	Plate	67x15	Grey	96
508 828	Y-PBIP 6715 Y	Plate	67x15	Yellow	96

* Y-KOIP 209 Series labels are compatible with Siemens contactors.
* Y-OIP 1710 Series labels are compatible with Telemec contactors.

Marking Tags for Panels/Buttons



Order No	Product	Print Area (mm)	Type	Color	Qty.
508 800	PBIP 2715 W	27x15	Plate	White	192
508 801	PBIP 2715 G	27x15	Plate	Grey	192
508 802	PBIP 2715 Y	27x15	Plate	Yellow	192
508 803	PBIP 5015 W	50x15	Plate	White	96
508 804	PBIP 5015 G	50x15	Plate	Grey	96
508 805	PBIP 5015 Y	50x15	Plate	Yellow	96
508 806	PBIP 6715 W	67x15	Plate	White	96
508 807	PBIP 6715 G	67x15	Plate	Grey	96
508 808	PBIP 6715 Y	67x15	Plate	Yellow	96

Panel Marking Product Selection Guide

PRODUCT		PBIP 2715	PBIP 5015	PBIP 6715
	Dimensions (mm)	27x15	50x15	67x15
First Step: Select panel marking tag.	Color	White	White	White
		Grey	Grey	Grey
		Yellow	Yellow	Yellow
Second Step: Select plate carrier.	Y-PER 1730	✓		
	Y-PER 1752		✓	
	Y-PER 1770			✓
	Y-PBR T	✓		
	Y-PBR S	✓		
Third Step: Select protective cover.	PBKP 2715	✓		
	PBKP 5015		✓	
	PBKP 6715			✓

Self-Adhesive Paper Labels



Order No	Product	Description	Print Area (mm)	Color	Qty.
508 520	SIT FP 4407	Paper Labels for ME3 Group Labeling	7x44	White	136
508 530	SIFX 0615 Y	Self-Adhesive Paper Label	6x15	Yellow	2.850
508 531	SIFX 0912 Y	Self-Adhesive Paper Label	9x12	Yellow	2.300
508 532	SIFX 0915 Y	Self-Adhesive Paper Label	9x15	Yellow	1.900
508 534	SIFX	Paper Labels for ME Group Labeling	6x43.8	Yellow	900

* Used with plotter.



Order No	Product	Description	Print Area (mm)	Color	Qty.
808 412	OYE-07 Y	Self-Adhesive Label for Office Printer	7x44	White	1.560
808 413	OYE-06 Y	Self-Adhesive Label for Office Printer	38x10	Yellow	1.260
808 414	OYE-05 Y	Self-Adhesive Label for Office Printer	20x8	Yellow	3.450
808 415	OYE-03 Y	Self-Adhesive Label for Office Printer	12x9	Yellow	4.600
808 416	OYE-01 Y	Self-Adhesive Label for Office Printer	17x10	Yellow	2.880
808 417	OYE-04 Y	Self-Adhesive Label for Office Printer	15x9	Yellow	3.600
808 418	OYE-02 Y	Self-Adhesive Label for Office Printer	15x6	Yellow	5.400

* Used with plotter and office printer.

Warning Labels



Order No	Product	Terminals used
498 130	IP 2S	AVK 2.5; AVK 4; AVK 6; AVK 10; AVK 2.5 RD; AVK 4 RD; AVK 2.5 T RD; AVK 4 T RD
498 140	IP 2	AVK 2.5; AVK 4; AVK 6; AVK 10; AVK 2.5 RD; AVK 4 RD; AVK 2.5 T RD; AVK 4 T RD
498 143	IP 3S	AVK 16; AVK 16 RD; AVK 35 RD; AVK 35 T RD
498 145	IP 3	AVK 16; AVK 16 RD; AVK 35 RD; AVK 35 T RD
498 160	IP 4S	YBK 2.5; YBK 4; YBK 6; YBK 10
498 170	IP 4	YBK 2.5; YBK 4; YBK 6; YBK 10
498 240	IP 5	AVK 50 - 70RD - 95 - 150 - 240
498 250	IP 5S	AVK 50 - 70RD - 95 - 150 - 240

Product Name	DB 6/4	DB 10/4	DB5-DY5	DB 10/5	DB 10/6	DB 10/6,5	DB 7,5/4,5	DG 6/5	DG 7/5	DG 10/5	DG 10/6	DG 10/8	DG 10/10	DG 10/5T	DG 10/6T	KOIP SM W
AVK 2,5				•						•				•		
AVK 4					•						•				•	
AVK 6												•				
AVK 10													•			
AVK 16													•			
AVK 50																•
AVK 70 RD																•
AVK 95																•
AVK 150																•
AVK 240																•
AVK 2,5 RD				•						•				•		
AVK 4 RD					•						•				•	
AVK 16 RD													•			
AVK 25 RD													•			
AVK 35 RD													•			
AVK 50T																•
AVK 2,5T RD				•						•				•		
AVK 4 T RD					•						•				•	
AVK 16 T RD													•			
AVK 35 T RD													•			
AVK PB 50																•
AVK PB 70 RD																•
AVK PB 95																•
AVK PB 150																•
AVK PB 240																•
AVK 95 B													•			
AVK 150 B													•			
AVK 240 B													•			
AVK 2,5 CC				•						•				•		
AVK 4 GD			•		•			•			•				•	
AVK 10 RD 4													•			
AVK 2,5 F				•						•				•		
AVK 2,5 CF				•						•				•		
AVK 2,5 A				•						•				•		
AVK 2,5R				•						•				•		
AVK 2,5RT				•						•				•		
AVK SKT			•					•								
AVK SKTD			•					•								
AVK AS			•		•						•				•	
AVK ASD			•		•						•				•	
AVK 2,5 CCT				•						•				•		
AVK 10 T RD 4													•			
AVK 2,5 EA				•						•				•		
AVK 2,5 CCA				•						•				•		
AVK 4 FS			•					•								
AVK 2,5-4TK					•						•				•	
AVK 4A					•										•	
AVK 4CC					•						•				•	
AVK 4CCA					•						•				•	
AVK 4CE					•						•				•	
AVK 4CEA					•						•				•	
AVK Y4					•										•	
AVK Y6												•				
AVK Y10													•			
AVK 4R					•						•				•	
AVK 4RT					•						•				•	
AVK 6TK												•				
AVK 10TK													•			
AVK 35 IRDS													•			

Product Name	DB 6/4	DB 10/4	DB5-DY5	DB 10/5	DB 10/6	DB 10/6,5	DB 7,5/4,5	DG 6/5	DG 7/5	DG 10/5	DG 10/6	DG 10/8	DG 10/10	DG 10/5T	DG 10/6T	KOIP SM W
AVK 35 RDS													•			
AVK 35T IRDS													•			
AVK 35T RDS													•			
MVK 2,5			•					•								
MVK 4			•					•								
MVK 2,5 T			•					•								
MVK 4 T			•					•								
PIK 2,5 N				•						•				•		
PIK 2,5 NK				•						•				•		
PIK 2,5 ND-A				•						•				•		
PIK 2,5 ND-B				•						•				•		
PIK 2,5 NLD				•						•				•		
PIK 4 N					•						•				•	
PIK 4 NK					•						•				•	
PIK 4 ND-A					•						•				•	
PIK 4 ND-B					•						•				•	
PIK 4 NLD					•						•				•	
PIK 4 FS			•													
PIK 10 N			•													
PIK 2,5 NT				•						•				•		
PIK 4 NT					•						•				•	
PUK 3			•													
PUK 2 T			•													
PUK 3 T			•													
PUK 3 S			•													
PUK 3 SLD (NPN)			•													
PUK 3 SLD (PNP)			•													
ASK 2 B			•													
ASK 2 S			•													
ASK 3 A			•		•											
ASK 3 MB			•		•											
ASK 3 FB			•		•											
ASK 4 B												•				
ASK 4 S												•				
ASK 4 LD												•				
ASK 5												•				
ASK 5B												•				
ASK 5 LD												•				
ASK 2 LD			•													
ASK 3 M			•		•											
ASK 3 MLD			•		•											
ASK 3 F			•		•											
ASK 3 FLD			•		•											
PYK 1,5 M	•															
PYK 1,5		•														
PYK 2,5				•						•				•		
PYK 4					•						•				•	
PYK 6												•				
PYK 10													•			
PYK 1,5 MT	•															
PYK 2,5 T				•						•				•		
PYK 4 T					•						•				•	
PYK 6 T												•				
PYK 10 T													•			
PYK 2,5-2 F				•						•				•		
PYK 2,5-2 FK				•						•				•		
PYK 2,5 - 2 FLD				•						•				•		
PYK 4 - 2 F					•						•				•	
PYK 2,5 - 2 FD A				•						•				•		

Product Name	DB 6/4	DB 10/4	DB5-DY5	DB 10/5	DB 10/6	DB 10/6,5	DB 7,5/4,5	DG 6/5	DG 7/5	DG 10/5	DG 10/6	DG 10/8	DG 10/10	DG 10/5T	DG 10/6T	KOIP	SM W
PYK 2,5 - 2 FD B				●						●				●			
PYK 2,5 - 3 F				●						●				●			
PYK 2,5 - 2 FT				●						●				●			
PYK 2,5 - 3 FT				●						●				●			
PYK 3 S				●						●				●			
PYK 3 SLD (NPN)				●						●				●			
PYK 3 SLD (PNP)				●						●				●			
PYK 4 S			●									●					
PYK 4 I			●									●					
PYK 4 ILD			●									●					
PYK 4 SLD			●									●					
PYK 2,5 A				●						●				●			
PYK 2,5 EA				●						●				●			
PYK 2,5 CCA				●						●				●			
PYK 2,5 E				●						●				●			
PYK 2,5 ET				●						●				●			
PYK 1,5 MC	●																
PYK 1,5 MCT	●																
PYK 1,5 ME	●																
PYK 1,5 MET	●																
PYK 2,5 C				●						●				●			
PYK 2,5 CT				●						●				●			
PYK 4 E					●						●				●		
YBK 2,5				●						●				●			
YBK 4					●						●				●		
YBK 6												●					
YBK 10													●				
YBK 2,5 T				●						●				●			
YBK 4 T					●						●				●		
YBK 6 T												●					
YBK 10 T													●				
MYK 2,5			●					●									
MYK 2,5 C			●					●									
MYKR 2,5			●					●									
MYKR 2,5 C			●					●									
MYK 2,5 T			●					●									
MYPK 2,5			●					●									
MYPK 2,5 C			●					●									
MYSK 2,5			●					●									
YBK 2,5-2 F			●					●									
YBK 2,5-2 FK			●					●									
YBK 2,5-2 FD-A			●					●									
YBK 2,5-2 FD-B			●					●									
YBK 2,5-2 FLD			●					●									
YBK 4-2 F					●						●				●		
YBK 4-2 FK					●						●				●		
YBK 4-2 FD-A					●						●				●		
YBK 4-2 FD-B					●						●				●		
YBK 4-2 FLD					●						●				●		
YBK 2,5-3 F			●					●									
YBK 2,5-2 FT			●					●									
YBK 2,5-3 FLD (NPN)			●					●									
YBK 2,5-3 FLD (PNP)			●					●									
YBK 3 S			●					●									
YBK 3 SLD (NPN)			●					●									
YBK 3 SLD (PNP)			●					●									
YBK S			●					●									
YBK SB			●					●									
YBK SLD			●					●									

Product Name	DB 6/4	DB 10/4	DB5-DY5	DB 10/5	DB 10/6	DB 10/6,5	DB 7,5/4,5	DG 6/5	DG 7/5	DG 10/5	DG 10/6	DG 10/8	DG 10/10	DG 10/5T	DG 10/6T	KOIP SM W
YBK 2,5 A				•						•				•		
YBK I			•					•								
YBK IB			•					•								
YBK ILD			•					•								
YBK 2,5 E				•						•				•		
YBK 2,5 C				•						•				•		
YBK 2,5 CX2				•						•				•		
YBK 2,5 CD				•						•				•		
YBK 2,5 CLD				•						•				•		
YBK 2,5 CT				•						•				•		
YBK 2,5 ET				•						•				•		
PCY 2,5			•					•								
PCY 2,5 N			•					•								
PCY 2,5 E			•					•								
PCY 2,5 L			•					•								
PCY 2,5 EL			•					•								
PB 2,5					•						•				•	
PB 2,5T					•						•				•	
PB 2,5K					•						•				•	
PB 6												•				
PB 6K												•				
PB 25_M5													•			
PB 25_M6													•			
PB 6 T												•				
CPB 6			•					•								
CPB 6B			•					•								
WGO 1												•				
WGO 2 N													•			
WGO 2 IR													•			
WGO 3												•				
WGO 4												•				
WGO 5												•				
WGL 1												•				
WGO Y 6												•				
WGO YD 6												•				
WGO PB 6												•				
WGO PBD 6												•				
PYKM 2,5			•	•				•						•		
PYKM 2,5 T			•	•				•						•		
PYKMR 2,5			•	•				•						•		
AYK 10/16			•					•								
TRV 4							•		•							
TRV 4 B							•		•							
TRV 4 M							•		•							
TRV 4 S			•				•	•	•							
TRV 4 T							•		•							
TRV 10							•		•							
WG - Eki					•						•				•	
CPB 6U			•					•								